

Choose the system that works best for <u>your</u> water.

# SCALE PREVENTION System

Sizing & Specifications							
Unit	Sizing	Flow Rate	Tank Size				
SP3 900	Up to 2 baths	12 gpm	9" x 48"				
SP3 1000	Up to 4 baths	16 gpm	10" x 54"				
SP3 1200	Up to 6 baths	22 gpm	12" x 52"				





# **The SP3 System**Healthy Green Systems

### **Pre Filter**

- Removes chemicals & sediment
- Extends life of SP3
- Lasts for up to 35,000 gallons
- Radial carbon filter

### Filter Prep

- Removes chlorine & heavy metals
- Improves taste & odor
- · Controls algae & bacteria
- Removes herbicides & pesticides

### Scale Prep

- Chrystalizes hardness
- Prevents scale buildup
- No backwashing or electricity
- Healthy minerals stay in water
- Maintenance-free
- No chemicals

## FILTER PREP Systems

Customize your filtration



### Can remove:

- Manganese
- Sulfur
- Sediment
- Turbidity
- Odors
- Chemicals
- Heavy Metals
- Iron
- Herbicides
- Pesticides

No Filter Replacement Required No salt sytems.

In/Out or Backwashing options.



## MX CONDITIONING System



- KDF removes chlorine, iron, metals and controls bacteria and algae
- Carbon removes chemicals, organics and improves taste and odor
- Softening media filters and conditions calcium and magnesium and reduces sediment to 20 micron
- Distributor bottom plate for 32k

Specifications					
Unit Size	Flow Rate	Tank Size			
32k	14.5 gpm	10" x 54"			
48k	19.7 gpm	12" x 52"			
64k	24.6 gpm	13" x 54"			

#### Features

- Time based service alarm
- Filters and conditions
- · Upgraded softening media
- 14" x 14" brine tank
- · Cabinet models available

# HI-FLOW SOFTENING System



- · Time based service alarm
- Up to 36 fully adjustable cycles
- One tool services complete valve
- · Cabinet models available

	eral Sizing: Specificat			Specification	S
2 baths 3 baths	32k 48k		Flow Rate	Operating Pressure	Operating Temp
4 baths	64k		up to 27 gpm	125 psi	110°F
5 baths	80k				




Specifications							
Housing Options	Filter Options	Scale Filters Options					
single 10" x 4-1/2"-3/4" to 1" ported	sediment	sp3 scale filter					
single 20" x 4-1/2"-3/4" to 1-1/2" ported	carbon	up to 2 yr life w/carbon					
double big blue 20"-1" ported	radial carbon	polyphosphate filters					
triple big blue 20"-1" ported	custom filters	6-12 month life					



# REVERSE OSMOSIS

# Drinking Water Systems



- · Quality water for your aquarium
- Cleanly rinsed fresh fruits and vegetables
- Crystalline, harder and clearer ice cubes
- Prolong the life of your humidifier or steam iron
- Spotless glassware when rinsed with RO water
- Cost effective: No more bottled water costs
- Better tasting soups, sauces and meals
- Environmentally sound: No chemicals
- Great for family pets

### 5-stage Isotwist RO 75 gpd; 1-1

- high efficiency 1-1 membrane
- all in one filter canisters
- upgraded faucet
- 75 gallons a day
- · Slim, lightweight design

## 5-stage Canister Style RO 75 gpd; 1-1

- high efficiency 1-1 membrane
- standard filter replacement
- upgraded faucet
- 75 gallons a day

### 5-stage Introductory RO 50 gpd; 4-1

- standard filter replacement
- chrome faucet
- 50 gallons a day



### **Additional Options and Filters**



Filter Packs



Membranes



UVs



Alkaline



**Faucets**